

ENGINEERING
TOMORROW



Operators Manual

Aeroquip® by Danfoss FT1258 Bench Cutter



Safety Instructions

WARNING

Danfoss fitting tolerances are engineered to match Danfoss hose tolerances. The use of Danfoss fittings on hose supplied by other manufacturers and/or the use of Danfoss hose with fittings supplied by other manufacturers may result in the production of unreliable and unsafe hose assemblies and is neither recommended nor authorized by Danfoss.

Failure to follow Danfoss process and product instructions and limitations could lead to premature hose assembly failures resulting in property damage, serious injury or death.

The user must exercise extreme care when operating any Danfoss assembly equipment with powered moving components. Safety glasses must be worn at all times when using any Danfoss assembly equipment.

Read and understand the owners and operators manual before attempting to operate any equipment.


Danfoss hereby disclaims any obligation or liability (including incidental and consequential damages) arising from breach of contract, warranty, or tort (under negligence or strict liability, theories) should Danfoss hose, fittings or assembly equipment be used with the hose, fittings or assembly equipment supplied by another manufacturer or in the event that product instructions for each specified hose assembly are not followed.

CAUTION

All hoses must be dried after testing! Tested hose assemblies can be dried by blowing out with dry shop air. Any water remaining in the tested hose assembly following proof test operation may cause rust on the inside of fittings or may not be compatible with the system using the hose assembly.

Aeroquip® FT1258 Bench Cutter Operators Manual

FT1258 PARTS LIST			
Detail Number	Part Number	Description	Number Required
1	FT1258-3-1	Support	2
2	FT1258-3-2	Lever	2
3	FT1258-3-3	Support	2
4	FT1258-2-2	Blade Kit (3 Blades)	1
5	FT1258-3-5	1 /4-20NC x .62 Hex Hd Cap Screw	2
6	FT1258-3-6	1/4-20NC Lock Nut	5
7	FT1258-3-7	1/2-20NC x 1.00 Hex Hd Cap Screw	2
8	FT1258-3-8	5/16 Dia x .562 Hex Hd Sh Screw	1
10	FT1258-3-10	#10-24NC x .62 Hex Hd Cap Screw	2
11	FT1258-3-11	#10-24NC Lock Nut	2
12	FT1258-3-1	Vinyl Plastisol Grip	1
13	FT1258-3-152	Decal	2
14	FT1258-500	Owner's Manual	1



About Danfoss Power Solutions FC

Danfoss hoses, fittings, and tooling provide the ultimate fluid conveyance solutions for a variety of equipment and applications around the world. We proudly engineer to support a sustainable future for tomorrow.

To learn more please visit: <http://www.danfoss.com/en/about-danfoss/our-businesses/power-solutions>

Danfoss Power Solutions

14615 Lone Oak Road
Eden Prairie, MN 55344, USA
Phone: 952-937-9800

Danfoss Power Solutions (US) Company

2800 East 13th Street
Ames, IA 50010, USA
Phone: +1 515-239-6000

Danfoss Power Solutions GmbH & Co.OHG

Krokamp 35
D-2439 Neumünster, Germany
Phone: +49 4321 871 0

Danfoss Power Solutions ApS

Nordborgvej 81
DK-6430 Nordborg, Denmark
Phone: +45 7488 2222

Danfoss Power Solutions Trade (Shanghai) Co. Ltd.

Building #22, No 1000 Jin Hai Rd
Jin Qiao, Pudong New District
Shanghai, China 201206
Phone: +86 21 3418 5200w

Danfoss can accept no responsibility for possible errors in catalogs, brochures, and other printed material. Danfoss reserves the right to alter its products without notice. This also applies to products already on order provided that such alterations can be made without subsequent changes being necessary in specifications already agreed. All trademarks in this material are the property of the respective companies. Danfoss and the Danfoss logotype are trademarks of Danfoss A/S. All rights reserved.
